Manifold Ordering Guide

Application

Instrument Air / Hook Up


Manufactured in Clonmel

Inlet: 3/4"



www.hccl.ie







7. Parker Connection Options	
None	Χ
Legris LF3000 Push-fit Stud (Brass/Plastic)	1
Legris LF3600 Push-fit Stud (All plated Brass)	2
Legris LF3800 Push-fit Stud (SS316/303)	3
Legris LF3900 Push-fit Stud (SS316)	4
ALOK Compression metric - 6mm (SS316)	5
ALOK Compression imperial - 1/4" (SS316)	6
Special*	7

^{*} Other options available on request



ITEM NO.	DESCRIPTION	MATERIAL	QTY.
1	1/4" OUTLET BALL VALVE - LOCKABLE	316 S/S	5
2	MANIFOLD BAR	316 S/S	1
3	CLAMP	PP	2
4	DRAIN VALVE	316 S/S	1





COMPANY CONFIDENTIAL:

ALL DRAWINGS ARE THE PROPERTY OF HANLEY CONTROLS

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS, TOLERANCES ARE: DECIMALS ANGLES

X ± 5.5
XX ± .25
XXX ± .13

THIRD ANGLE

THIRD ANGLE

LF SERIES 5 WAY SINGLE SIDED S/STEEL MANIFOLD


(14)


2


 SIZE B
 PART NO.
 LF512-4BXBX
 REV A

 DO NOT SCALE DRAWING
 DATE 10.03.2017
 SHEET 1 OF 1













ITEM NO.	DESCRIPTION	MATERIAL	QTY.
1	1/4" OUTLET BALL VALVE - LOCKABLE	316 S/S	10
2	MANIFOLD BAR	316 S/S	1
3	CLAMP	PP	2
4	DRAIN VALVE	316 S/S	1









ITEM NO.	DESCRIPTION	MATERIAL	QTY.
1	1/4" OUTLET BALL VALVE - LOCKABLE	316 S/S	20
2	MANIFOLD BAR	316 S/S	1
3	CLAMP	PP	2
4	DRAIN VALVE	316 \$/\$	1

